

ABOUT US

PROFILE

XLT Systems was set up in 1999, had the primary objective of offering a wide range of support accessories for the Audio Visual (AV) and Multimedia market segment all over the country. As a reliable brand name, we innovate and devote our manufacturing resources to design and develop various multimedia mounting technology and offer extensive customization based on requirement, thereby providing superior consulting services to both domestic and international sectors.

VISION

At XLT Systems, we believe we are your "Total Solution Provider of Multimedia Mounting Technology" and all your Multimedia and Audio Visual support accessories. We pride ourselves in exceeding the expectations of every client by offering superior customer services, precision, reliability and safety in all our products.

MISSION

With the Multimedia and Visualization Innovations, we provide a wide range of projector Lift products in a way to support Audio Visual (AV) & Multimedia solutions.

Hence, XLT Systems, exists to provide a solution of manufacturing resources that offers customization and fabrication to meet our clients' requirements.



CONTENTS

- I About Us
- 2 Index
- 3 Page 3-4 Introduction
- 4 Page 5-6 TV Lift / Stand System
- 5 Page 7-8 Camera Lift System
- 6 Page 9-16 Projector Lift System
- 7 Page 17 Display Support System



- 9 Page 19-24 TV Wall Mount Bracket
- 10 Page 25-26 Storage Tray
- 11 Page 27
 TV Ceiling Mount Bracket
- 12 Page 28-29
 Projector Ceiling Mount Bracket

n

13 Page 30-33 Accessories





It's the little things that matter

- 1 WP-321 LCD/ LED Mobile Stand
- 2 WP-777 LED TV Bracket (Foldable)
- 3 SC-40 Projector Scissors Lift
- 4 CP-508
 Projector Ceiling Bracket
- 5 WP-8010 Motorized TV Lift Cart
- 6 XCU-615

 Double Paying Scissor Lift
- 7 DS-5521 Digital Signage Cabinet





XLT Systems Pte Ltd is involved in the sourcing, sale and distribution of a wide and comprehensive range of professional mounting brackets such as wall mount bracket, ceiling mount bracket, LED screen, display bracket, projector lift, TV lift, Mobile Stand, TV Stand, and other related AV accessories included Speakers, LCD monitors, NPP LED Display, Digital Signage, HDMI cable, Receptacle Plate (Faceplate), USB-C Docking station, KVM Switches, Video Processor that support your visual communication needs.

Motorized TV Lift Cart Model: WP-8010

Modernize Your Office Bringing In That "WOW" Factor

Motorized TV Lift Cart is an excellent solution kit for educational, interactive teaching, workshop, studio, co-work and/ or business presentation and conference meeting.

The TV lift had programmable position memory function to record the position you like. The powerful motor we use has make TV lift to be more stable, strong and durable. It did come with castor wheels with lock and easy deployment.

It defined as sturdy mobile platform with motorized height with gas struct assisted manual tilt adjust function. Hence, the interactive touch monitor can be positioned in either full flat to tabletop position at any comfort level.



Remote Control Included

Castor Wheels With Locks

Electronic Programmable Position

Motor: Stable, Strong & Durable

Product Category: Motorized TV Lift Cart	Panel Type: Detachable Panel
Material: Aluminium, Steel, Plastic	Bracket Type: Removable. Able to flip up as interactive table with weight counter balance by gas spring
Surface Finish: Powder Coating	Camera Shelf: Optional
Color: Black	Direction Indicator: Yes
Height Adjustable: 750 ~ 1650mm	Cable Management: No
Fit Screen Size: 37"-65" or Max up to 55" Interactive Panel	Power Supply: AC 100~240V,50/60Hz: DC 29V, 1.8A
Fit Curved TV: Yes	Power Cord Length: 1.5m
Max. VESA: 600x400 [mm]	Controller Type: Radio Frequency (RF) Remote
Weight Capacity: Max 50kg	



TV Flip Down Lift Model: FDL-55

High Quality Motorized Ceiling TV Flip Down Lift

The XLT TV Flip Down Lift series of automated platform is specifically designed to store flat screen TV in the ceiling and lower them for viewing. This ultra-silent motorized mechanism is powered by a well reputed France tubular motor with build in RF control. which can be integrated with many third parties control systems. This TV lift is constructed in sheet steel with white powder coated finishes with a sleek modern design that build to last and fits well in any home or office environment. Together with universal bracket and cable management chain for easy installation. This TV lift can be custom made to house TV weight up to 80kg.



- Wireless Remote Control Included
- Full automation flip down and close
- Constructed by high quality and steel cable
- Easy Installation, Smooth, Quiet & Performance
- Suitable for TV 32' 86", any size can be customized (up to 86")

Specification:

Brand Name: XLT

Model Number: FDL-55

Product Name: TV Flip Down Lift

Material: Mild Steel

Color: White

Fit Screen Size: 55" (Can Custom made up to 86")

Max. VESA Mount: 600x400 [mm]

Extension Lowering: NIL

Loading Capacity: 35kgs (Can custom made up to 80kg)

Max. Flip Angle: 0 - 125° degree

Control Way: Wireless Handheld Remote Control

Application: Conference Room, Meeting Room, Bedroom, Living Room

Voltage: 230V / 50Hz

RTS Wireless Wall Switch

RTS Dry Contact

Transmitter

Optional Control

Available:




Telescopic Camera Lift

Model: CL-1050

This Telescopic Camera Lift is Ideal for conference rooms and webcam. It is designed to gives you a wide field of view. It can adjust the height to best cinematography and to ensure a vivid video conferencing.

This mini, ultra-quiet lift can be integraded with PTZ camera, conference webcam etc. CL-1050 Camera lift enable lowing up to 900mm. Lift closed height at 692mm. The handheld remote come with two programable height limits setting.



Camera Lift Specification:

Product Category: Telescopic Camera Lift

Product Weight: 18kg

Max. Weight Capacity: 25kg

Travel Distance: 692 ~ 1590mm

Power Cord Length: 1500mm

Camera Bracket: Standard/ Customize

Integrated Cable Management Systems: Yes

Material: Aluminium, Mild Steel, Plastic

Surface Finish: Powder Coating


Color: White/Black

Overall Dimension: 256W x 236D x 692H [mm]

Power Supply: AC 100~240V, 50/60Hz, DC 29V, 1.8A

Controller Type: Radio Frequency(RF) Remote

Duty Cycle: Max-2 Mins on/ 18Mins off







Video Conference Camera Lift Model: CL-1200

Specification:

Product Category:

Video Conference Camera Lift

Color: White

Max. Weight Capacity: 10kg

Max. Travel Distance: 1000mm

Integrated Cable Management Systems: Yes

Programmable Camera Position: Yes

Overall Dimension: 692W x 525D x 454H [mm]

Power Consumption: 100W

Voltage: Single Phase 230VAC 50Hz

Max. Size Of Camera: 300 x 200 x 200 [mm]
Optional Item: Dry Contact Transmitter

Boon To Teleconferences All Over The World!

Video Conference Camera Lift is Ideal for conference rooms and videos calls. It is designed to provide complete concealment of the video conferencing camera in a ceiling-recessed case.

This sleek, ultra-quiet lift effortlessly lowers a camera from the ceiling to the desired eye level in just seconds. The camera lift can be lowered up to **1 meter** below the ceiling and remain centered for more precise camera positioning.



Electronic Programmable Position with remote on ground

Powered by world leading motor : Precision, Reliable and Safety

Accommodate larger camera size

Lowered up to 1000mm below false ceiling level

Optional Control Available



RTS Dry Contact Transmitter



RTS Wireless Wall Switch





Have Video

PROJECTOR LIFT XCU-615

A sophisticated appearance of XCU motorized projector lift designed for double precise scissor lift structure principle.

XCU Lift, strong yet affordability to mount where a wireless remote controller with 3 programmable setting position help to easily focus on your presentation with just one touch of a button.



- Ultra slim structure
- Wireless RF remote control
- Store, Show & service position
- Cable management
- Tabular Somfy motor
- Suitable for homes, auditoriums, training/meeting rooms, theatres


Optional Control Available






RTS Wireless Wall Switch

Frontal View Closed



Side View Closed



Specification:

pecification	**	
DIMENSION	I (W x D x H) [mm]	683 x 701 x 270 [Ht in Closed Position]
MAX. TRAVEL DISTANCE [mm]		1500
MAX. SPACE	for PROJECTOR (W x D x H) [mm]	455 x 520
MAX. WEIG	HT CAPACITY [Kg]	15 kg
Motor:	Power Consumption	100 W
	Voltage	Single Phase 230VAC 50 Hz



Have Video



An ultimate projector lift system easily help to focus on your presentation by adjusted to the projection surface which using a wireless remote controller with 3 programmable setting position.

It's beneficial for various meeting rooms, multimedia classrooms, homes, auditoriums, training rooms, theatres and any other special purpose rooms where aesthetics is of a paramount concern.

- Ultra slim structure
- Wireless RF remote control
- Store, Show & service position
- Cable management
- Tabular Somfy motor
- Suitable for homes, auditoriums, training/meeting rooms, theatres




Optional Control Available






RTS Wireless Wall Switch

Frontal View Closed



Side View Closed



DIMENSION	I (W x D x H) [mm]	730 x 796 x 270 [Ht in Closed Position		
MAX. TRAV	EL DISTANCE [mm]	1500		
MAX. SPACE for PROJECTOR (W x D x H) [mm]		535 x 610		
MAX. WEIGHT CAPACITY [Kg]		25 kg		
Motor:	Power Consumption	95 W		
	Voltage	Single Phase 230VAC 50 Hz		



PROJECTOR LIFT XCU-180

The **Projector Lift XCU-180** is perfect for top quality projector installation in both commercial and residential environment. This product has designed for trouble in limited ceiling space.

- Suitable for conference room, office & homes

- Store, show & service position
- Limits setting allows from the ground
- Wireless RF remote control
- Full cable management
- Elegant polished aluminium die cast scissor arm



Optional Control Available




RTS Dry Contact Transmitter




RTS Wireless Wall Switch


Dimension



Frontal View



Side View



DIMENSION	I (W x D x H) [mm]	605 x 605 x 288 [Ht in Closed Position		
MAX. TRAVEL DISTANCE [mm]		1500		
MAX. SPACE	for PROJECTOR (W x D x H) [mm]	440 x 400 x 140		
MAX. WEIGHT CAPACITY [Kg]		15 kg		
PACKING DIMENSION [MM]		722 x 706 x 329		
PACKING W	EIGHT [Kg]	30 kg		
Motor:	Power Consumption	100 W		
	Voltage	Single Phase 230VAC 50 Hz		





PROJECTOR LIFT XCU-190

The **Projector Lift XCU-190** is perfect for top quality projector installation in both commercial and residential environment. This product has designed for trouble in limited ceiling space.

- Suitable for conference room, office & homes
- Store, show & service position
- Limits setting allows from the ground
- Wireless RF remote control
- Full cable management
- Elegant polished aluminium die cast scissor arm


Optional Control Available






RTS Wireless Wall Switch

Frontal View



Side View



DIMENSION	(WxDxH)[mm]	725 x 705 x 453 [Ht in Closed Position]	
MAX. TRAVE	L DISTANCE [mm]	1500	
MAX. SPACE for PROJECTOR (W x D x H) [mm]		550 x 450 x 180	
MAX. WEIGH	HT CAPACITY [Kg]	15 kg	
PACKING DI	MENSION [MM]	757 x 741 x 494	
PACKING WI	EIGHT [Kg]	39 kg	
Motor:	Power Consumption	100 W	
	Voltage	Single Phase 230VAC 50 Hz	






Tucked away inside a suspended ceiling, yet easy to operate with a remote control or wall-mounted control.

Get your Projector Lift XCU-600 Now!

- Ultra slim structure
- Mechanical limit switch automatically stop at show & store position
- Universal projector mounting with pan & tilting kit
- Full cable management
- Suitable for most projector, maximum load 15kg
- Wired with Integrated low voltage control and wireless remote control



Specification:

DIMENSION	I(WxDxH)[mm]	635 x 685		
MAX, TRAV	EL DISTANCE [mm]	600		
MAX. SPACE	for PROJECTOR (W x D x H) [mm]	410 x 450		
MAX. WEIG	HT CAPACITY [Kg]	15 kg		
PACKING D	MENSION [MM]	725 x 710 x 190		
PACKING W	EIGHT [Kg]	23 kg		
Motor: Power Consumption		110 W		
	Voltage	Single Phase 230VAC 50 Hz		



PROJECTOR LIFT XCU-700

The Projector Lift XCU-700 is perfect for top quality projector installation in both commercial and residential environment. This product has designed for trouble in limited ceiling space.

- Ultra slim structure
- Wireless RF remote control
- Store, show & service position
- Cable management
- Limit setting allows from the ground
- Suitable for most projector, maximum load 25kg


Optional Control Available








Frontal View Closed





DIMENSION	I (W x D) [mm]	730 x 812	
MAX. TRAV	EL DISTANCE [mm]	950	
MAX. SPAC	E for PROJECTOR (W x D) [mm]	530 x 550	
MAX. WEIG	HT CAPACITY [Kg]	25 kg	
PACKING D	MENSION [MM]	830 x 840 x 235	
PACKING WEIGHT [Kg]		29 kg	
Motor:	Power Consumption	100 W	
	Voltage	Single Phase 230VAC 50 Hz	



Scissor Lift

It a reliable and affordably pried lift where it can accommodate most LCD/DLP projectors weighing 33kg or less. With the conveniece of a remote setting controller with 3 programmable positions, it provides an attractive solution to recess projector in the ceiling. Depending on usage and/or requirement, the lift can be fully extended to ground for maintenance.

With its slick and quite operation, the XLT Scissors Lift enhances the professional image in your boardrooms, auditoriums, lecture theatres and a host of other special purpose rooms where aesthetics is of a paramount concern.






Scissor Lift


SC-40

Maximum Lowering: 4.0M Maximum Weight Capacity: 35kgs



SC-60

Maximum Lowering: 6.0M Maximum Weight Capacity: 33kgs



SC-40	SC-60	SC-40 (1.1)	SC-60 (1.1)
950 x 660 x 580 (Ht in Closed Position)	950 x 660 x 670 (Ht in Closed Position)	1100 x 1100 x 720 (Ht in Closed Position)	1100 x 1100 x 720 (Ht in Closed Position)
4000	6000	4000	6000
ance [mm] Space for 590 x 600 x 300 590 x 600 x 300 750 x 900 x 550 ector (D x H) [mm]		750 x 900 x 350	
35Kg	33Kg	100 Kg	90 Kg
965 x 690 x 605	965 x 690 x 705	1248 x 1245 x 770	1248 x 1245 x 870
74 Kg	82 Kg	128 Kg	160kg
240 W	240 W	450 W	450 W
Single Phase 230VAC 50 Hz	Single Phase 230VAC 50 Hz	Single Phase 230VAC 50 Hz	Single Phase 230VAC 50 Hz
	950 x 660 x 580 (Ht in Closed Position) 4000 590 x 600 x 300 35Kg 965 x 690 x 605 74 Kg 240 W Single Phase	950 x 660 x 580 (Ht in Closed Position) Fosition) 6000 (Ht in Closed Position) 6000 (Ht in Closed Posit	950 x 660 x 580



DS-5521

Digital Signage Cabinet


It's Time to hold your audience attention and increase your customer awareness by using our XLT Digital Signage display support systems.

Advantages of Adopting Digital Signage

- Able to Delivering the message
- ✓ Lower Business Operating Costs
- √ Faster Retrieval
- ✓ Better Customer Services
- ✓ Promotion/Campaign effectiveness

Digital storage is faster, more convenient and much less costly that the alternatve.

- Display hosting with lockable door
- Tempered Glass Protection



830 mm






Mobile Display System



Product Name	Mobile Display System						
Product Code	WP-321	WP-311	WP-806	CP-613			
Height Adjustable	646 - 880	NIL	Yes	1055 - 1355			
Suitable LCD/ TV	Support Most 40" ~ 55" LCD / LED Panel	Support Most 40" ~ 55" LCD / LED Panel	Support Most 40" ~ 55" LCD / LED Panel	Multiple shelves to hold all of your presentation			
Max VESA Mount (mm)	600 x 400	600 x 400	600 x 400	*			
Tilt Angle	±45 DEGREE	±45 DEGREE	NIL				
Max. Load Capacity (Kg)	35	35	50	(F.)			
Color Available	Silver	Black	Silver	Silver			
Optional Equipment Tray	-	-	Available	-			
Weight (Kg)	16	19.5	16	13.5			





^{*} Total Solution Provider Of Multimedia Mounting Technology





LCD/LED Wall Support System

How can I tell if my TV is VESA compliant?

The majority of TV's are VESA compliant various there are some models that are not. You can always refer to the specifications in the product manual. Most manuals indicate the exact VESA standard necessary for mounting, or simply indicate the VESA mounts are supported in general.

If you're still not sure, we welcomed you to consults us for a strong, solid wall mount that is suitable for your TVs.

Size Inched	Model	VESA Mount (MM)	Max. Load Capacity (Kgs)	Mounting Design	Tilt Angle	Remarks
Small 14" – 26"	WL-306	75x75 & 100x100	25kg	Landscape & Portrait	(*)	
Small 14" – 26"	WL-305	75x75 & 100x100	25kg	Landscape & Portrait	Able to tilt 10° down	Bi-direction
Medium 32" – 50"	WL-2649	200 x 200	25kg	Landscape & Portrait	Able to tilt 10° down	Simple "Hook On" System
Medium 40" – 55"	WP-713	600 x 400	50kg	Landscape	Able to tilt 10° down	Simple "Hook On" System
Medium 40" – 60"	WP-722	400 x 600	50kg	Portrait	-	Simple "Hook On" System
Large 65" – 84"	WP-720	800 x 400	75kg	Landscape	Able to tilt 10° down	Simple "Hook On" System
Large 65" – 84"	WP-724	800 x 400	120kg	Landscape		Simple "Hook On" System
Large 85" – 98"	WP-725	900 x 600	120kg	Landscape	(*)	Simple "Hook On" System
Large 85" – 98"	WP-726	900 x 600	120kg	Portrait	20	Simple "Hook On" System






Grab for your best fitting solutions for all TV wall mount.

You've spent huge money on a great TV. We knew that you don't want to risk mounting it with just any wall mount when it comes to putting it pride of place. For you, the only best will do.

However, how will you know which TV bracket is perfect for your needs? What will work for your space? Hence, you can consults us for a strong, elegant design, solid wall mount that is suitable for your TVs.


Feature:

- Supported VESA Max 900 × 600mm / 600 x 900mm
- Durable steel construction with black powder coated finish
- Max 30° / 60° swivel capability
- The arms free up space and allows positioning of your display for greater productivity
- All necessary hardware and installation manual included
- Cable management keep the wire out of sight
- Steel construction for long lasting durability
- Accept most popular flat-or curved-screen displays from 65" to 86". Up to 60kgs





Landscape: Model: WP-777





Foldable Arm Wall Bracket



WP0-733



WP0-735



WP-777



WP-778

Size Inched	Model	VESA Mount (MM)	Max. Load Capacity (Kgs)	Mounting Design	Swivel Capability	Remarks
Medium 40" – 60"	WPO-733	600 x 400	50kg	Landscape	1)	Spring Loaded pop-out mechanism
Medium 40" – 60"	WPO-735	400 x 600	50kg	Portrait	\$1	Spring Loaded pop-out mechanism
Large 65" - 86"	WP-777	900 x 600	60kg	Landscape	Max ± 30*	Durable Steel Construction
Large 65" – 86"	WP-778	600 x 900	60kg	Portrait	Max ± 60°	Durable Steel Construction

Videowall Pop-Out Bracket

Model: WPO-751

Specification:

Vesa Mount: Max. 600 x 400 mm


Fit from 43" - 65" inches TV

Max. Load Capacity (kg): 50kgs

Colour Available: Black

Push to Pop-out mechanism








^{*} Total Solution Provider Of Multimedia Mounting Technology

Videowall Pop-Out Bracket

Model: WPO-751




Features:

- Its sleek design and compatibility with various videowall configurations.
- Suitable for landscape mounting.
- Convenient Push-to-Open/Closed mechanism.
- Tension spring added to ease when retraction.
- Design to ensure smooth & precise extension/retraction.
- Offers tool-less micro-adjustment of +/-8mm at each corner.
- Ideal choice for creating impressive display setups in commercial and public spaces.




Wall Mount TV Bracket With Pull-Down Storage Tray

Model: WP-7373



- TV Bracket with integrated storage
- Tray fit for weight below 5kg
- Depth For tray: 40 mm
- With Pull-down storage tray
- Colour : Black
- Fit from 40" 65" inches TV
- Max. TV Load Capacity (kg): 50kg
- Vesa Mount: Max. 600 x 400 mm

- Its space-saving design and maximize space storage tray, neatly organized to store your audiovisual components.
- Storage tray can be Pull-down from the screen.
- Sturdy and secure for your AV equipment installation.
- Modern Aesthetics: Adds a touch of sophistication to your room.
- Easy Installation with clear instructions for a hassle-free installation process.




Slide-Out Storage Tray

Model: WP-7301

- Product Code: WP-7301
- Slide-Out storage tray
 w/o TV Bracket
- Depth for tray: 40 mm
- Colour Available: Black
- Well organized and optimize space alow



- Its space-saving design and maximize space storage tray.
- Slide-out storage tray only without TV bracket.
- Storage tray can be slide-out from left or right of the screen.
- Sturdy and secure for your AV equipment installation.
- Easy Installation with clear instructions for a hassle-free installation process.





^{*} Total Solution Provider Of Multimedia Mounting Technology

TV Ceiling Mount Brackets


Flexible modular component solution

A range of ceiling plates, extensions poles, back-to-back tilting unit and universal display interfaces to create exactly the ceilling mounting solution that you need.



						4
Size Inched	Model	VESA Mount (MM)	Tilt Angle	Max. Load Capacity (Kgs)	Weight Of Product	Optional Pole Range Add-on
Small 19" – 28"	WL-305C	75 x 75 & 100 x 100	± 10°	25	6	1.2m, 1.8m,2.4m
Medium 32" – 50"	WL-2649C	200 x 200	± 10°	25	6	1.2m, 1.8m,2.4m
Medium 37" – 55"	WP-713C	600 x 400	± 10°	50	10.5	1m, 1.8m, 2.4m
Large 40" – 60"	WP-722C	600 x 400	± 10°	50	12.5	1m, 1.8m, 2.4m
Extra Large 60" – 84"	WP-720C	800 x 400	± 10°	75	12	1m, 1.8m, 2.4m

Projector Ceiling Mount Brackets



Specification:

Product Name	Projector Ceiling Mount Bracket		
Product Code	CP-506	CP-503	CP-508
Height Adjustable	575 - 900	500 - 1200	650 - 900
Till/ Roll	±15 Degree	±15 Degree	±15 Degree
Max. Load Capacity (Kg)	10	20	45
Colour Available	Black/ White	Black/ White	Black/ White
Optional Extension Pole (mm)	1200, 1800, 2400	1200, 1800, 2400	1000, 1800, 2400
Weight (Kg)	3	4	6

Optional:



Projector Wall Mount Bracket



CP-531

Wall Mount Bracket

- Max Weight Capacity: 15kg

- Max Length Adjustable: 800 - 1200mm

- Tilt Angle: ±15 Degree



CP-532 **Ultra Short Throw Wall Bracket**

- Max Weight Capacity: 15kg

- Max Length Adjustable: 295 - 420mm

- Tilt Angle: ±15 Degree

ACCESSORIES



SB-2525 Projector Screen Bracket



CC-48 Ceiling Cover



CC-38 Ceiling Cover



RI-9116 IR Remote Control



ACC-DCT
Dry Contact Transmitter



RTS Wall Switch Wireless & Battery-operated



VGA Cable

With mounted connectors (male/male) Come with moulded 3.5mm PC audio jack on both end.

Available in the following lengths 1.8m, 3m



Remote Control

Size (mm): 135 x 42 x 14 mm Radio Frequency: 433.42 Mhz +/- 1Khz

IP Code: IP 30 Weight: 47g



HDMI CABLE

34 AWG



HDMI Cables, 34AWG HDMI v 2.0 Cable 4K@60HZ M to M in Both Side Gold Plated Connector



Available In the following length: 1.0m, 1.8m, 3m

5m HDMI Cables.

30AWG HDMI v 2.0 Cable, 4K@60HZ M to M in Both Side Gold Plated Connector without build in repeater and without IC

30 AWG



Armoured Active Optical



HDMI Cables, Armoured Active Optical, 4K@60Hz M to M in Both Side Gold Plated Connector with Build in Chipset

- Transfer data as light pulses
- Transfer data over long distances
- Much higher bandwidth capabilities than standard copper cables
- Integrated PCB with chipset embedded in connector both end

Available in the following length: 10m, 15m, 20m, 25m, 30m, 50m



DOCKING STATION

XTC-105 5 IN 1

USB-C to Audio + HDMI + USB + PD

- Supports HDMI resolution up to 4K@30Hz.
- USB3.0 Hub provides you super speed up to 5Gbps data signaling rate.
- 3.5mm phone jack audio and Mic.
- USB-C PD 3.0 charging ability, Max 60W.





XT-106 6 IN 1

USB-C to USBx2 Hub + HDMI + SD&TF Card Reader + PD

- Supports HDMI @ 4K@30Hz.
- USB3.0 Hub withsuper speed up to 5Gbps rate.
- SD & Micro SD Card Reader available, compatibility SDXC.
- USB-C PD3.0 charging ability.

XT-111MA 11 IN 1

USB-C to USB3.0x4 Hub + HDMI + VGA 3.5mm phone jack TRRS +RJ45 + SD&TF Card Reader + USB PD

- Gigabit Ethernet provide stable internet connections.
- Supports HDMI @ 4K@30Hz.
- Supports VGA @ 1080p.
- USB-C PD 3.0 charging ability, Max 60W.
- HDMI & VGA can output at the same time (resolution up to 1080p).





Receptacle Plate



RP-9062C

HDMI Receptacle Plate
With IC

Support V2.0



RP-9063C VGA, Audio, HDMI With IC Support V2.0



RP-9076

Double Mic Receptacle



RP-9077
Mic Receptacle Plate



RP-9085 VGA With Audio



Up and Down Switch *Color may be differ from the image


RP-9078



RP-9051
USB Receptacle Plate



RP-9066
HDMI and USB



With many years of experience in multimedia mounting technology, we are able to provide you with our superior products and services to suit your needs.

Customize LED Bracket/ Video Wall Mount



11x6 LED Slide Brackets



Hong Kong University



Bungalow House



Customize Motorized Lift System

 Our strategy is to work with, to be inspiring, often resulting in unexpected and innovative results.



Projector Lift @ Cafe



XCU-190 Projector Lift



Have Video

Scissor Lift



360 Rotating TV System



Motorized Cabinet With Sliding Drawer



Scissor Lift @ Lecture Room



Motorized TV Stand Lift

Have Video





Motorized TV Flip Down Lift



Motorized Pop-Up TV Lift with Cabinet



86" Inches TV Lift With Cabinet

Have Video



Motorized TV System



Motorized TV System



2x2 Video Wall Motorized Lift

Customize Motorized TV Lift System

This is a fantastic choice for creating a captivating and dynamic TV display in your retail space to showcase your products or promotional content.

Customise Mobile Stand

XLT Mobile stand provide flexibility when collaborating. We can do customization according to our client needs. For example: 2 by 2 mobile stand or 6 by 3 mobile stand to use for any commercial use. With our special lockable rolling caster (with or without) for easy to move technology into any space from and to the meeting room.



Video Wall Information Board

Video walls can showcase a variety of content formats, including images, videos, animations, real-time updates, and more.

The large and visually video walls captures viewers' attention, an effective tool for conveying important information.



3x1 Floor Mount For 82 Inches

This floor mount is specifically designed to support TVs with an 82-inch screen size. This type of mount doesn't require wall installation and provides flexibility in terms of placement within a room.



6x3 Curve Mobile Stand

This curvature provide an ergonomic advantage by allowing the TV to be angled slightlytowards the viewer for a better viewing experience. It is moveable with using caster wheels.




2x1 Floor Mount Stand

This presentation stand is ideal for at homes, meeting room, classroom, airports, shopping malls, hotels and so on...

Please sent us your inquiry on floor mount stand to build up your confident.



24 Years Experience Build the Impossible



1091 Lower Delta Road, #03-03 Mapletree Industrial, Singapore S169202

Tel: (65) 6273 1132 Fax: (65) 6273 1159 Email: sales@xltsystems.com

Malaysia

 Jalan Industri USJ 1/10, Taman Perindustrian USJ 1, Subang Jaya, 47600 Selangor, Malaysia.
 Tel: (60) 3 8023 4211 Fax: (60) 3 8023 4066

Email: sales@xltsystems.com



